


NÜVÖ[®]
Whole Home Audio








Distributed by |  VANTAGE™

1. NuVo Wireless Audio Systems	3
2. Audio Distribution Systems	5
3. Audio Source Equipment	8
4. Accessories	12
5. Speakers	14

- * all prices are subject to change rates - prices are without VAT, or duties / transportation costs not included
- * supersedes any other pricelist
- * subject to change due to exchangerate
- * general conditions on simple request

1. NuVo Wireless Audio Systems



EU

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-P100-EU	Wireless Zone Player, 40 Watt Stereo Amplifier. Offers mastering-grade, wireless zone-to-zone access to Network content or any local device.	€457,30
 VA-NV-P200-EU	Wireless Zone Player, 120 Watt Stereo Amplifier with HD Bluetooth connectivity. Offers mastering-grade, wireless zone-to-zone access to Network content or any local device.	€571,90
 VA-NV-P300-EU	The NuVo NV-P300-EU Player Preamplifier is a versatile addition to the Player Portfolio, ideal for introducing incredible source flexibility and superior audio to maximize an external power amplifier's capabilities.	€333,20
 VA-NV-P3100-EU	Professional Grade Three Zone Stereo Amplifier, 40 Watts Per Zone. Offers mastering grade, zone-to-zone access to Internet radio, network content or any local device.	€1.621,90
 VA-NV-P3500-EU	High Performance, Professional Grade Three Zone Stereo Amplifier, 200 Watts Per Zone. Offers mastering grade, zone-to-zone access to Internet radio, network content or any local device.	€2.862,80

2. Audio Distribution Systems

SIMPLESE





DECOREA

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-A4DS-DCEXP	“Simplese D Four-Source, Four-Zone Amplifier System (240V) Packaged complete with 4 Decora-style keypads, VA-NV-A4DKP-DC, (white, ivory, almond, and black inserts and single gang trim plates for each), 36 pre-printed source buttons, LRC1 Learning Remote, Allport®, Allport cable, Power cable, 4 IR emitters, and rack ear mounts.”	€1.201,90
 VA-NV-A4D-DCEXP	“Simplese Four-Source, Four-Zone Amplifier (240V) VA-NV-A4DS-DCEX without keypads.”	€1.001,40

2. Audio Distribution Systems






ESSENTIA

DECOREA




MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-E6GMS-DCEXP	“Essentia (E6G) Six-Source, Six-Zone Amplifier System (240V) Packaged complete with 6 Decora-style single gang Control Pads, VA-NV-E6GCP-DC, (white, ivory, almond, and black trim plates for each), VA-NV-GRC1 Remote, Allport®, Allport cable, Network cable, Power cable, 6 IR emitters, and rack ear mounts. *VA-NV-I8DLS EZ IR Learning Station and software required for programming.”	€2.505,80
 VA-NV-E6GM-DCEXP	“Essentia (E6G) Six-Source, Six-Zone Amplifier (240V) VA-NV-E6GMS-DCEX without Control Pads.”	€2.003,70
 VA-NV-E6GXS-DCEXP	“Essentia (E6G) Six-Source, Six-Zone Expander System (240V) Packaged complete with 6 Decora-style single gang Control Pads, VA-NV-E6GCP-DC, (white, ivory, almond, and black trim plates for each), VA-NV-GRC1 Remote, Allport®, Allport cable, 2 Network cables, Power cable, 6 RCA Stereo to “Y” cables, and rack ear mounts.”	€2.404,60
 VA-NV-E6GX-DCEXP	“Essentia (E6G) Six-Source, Six-Zone Expander (240V) VA-NV-E6GXS-DCEX without Control Pads.”	€1.908,20

2. Audio Distribution Systems

GRAND CONCERTO










MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-I8GMS-EXP	<p>“Grand Concerto Six-Source, Eight-Zone Amplifier System (six amplified zones, 240V) Packaged complete with 6 Control Pads, VA-NV-I8GCP, (white, ivory, almond, and black, dual gang trim plates for each), VA-NV-GRC1 Remote, EZ Port®, Network cable, Power cable, 6 IR emitters, and rack ear mounts.</p> <p>*VA-NV-I8DLS EZ IR Learning Station and software required for programming.</p> <p>*VA-NV-I8GZPK-D2120 optional for power and control of zones 7 and 8.”</p>	€4.008,20
 VA-NV-I8GM-EXP	<p>“Grand Concerto Six-Source, Eight-Zone Amplifier (six amplified zones, 240V) VA-NV-I8GMS-EX without Control Pads.”</p>	€3.006,00
 VA-NV-I8GXS-EXP	<p>“Grand Concerto Six-Source, Eight-Zone Expander System (six amplified zones, 240V) Packaged with 6 Control Pads, VA-NV-I8GCP, (white, ivory, almond, and black, dual gang trim plates for each), VA-NV-GRC1 Remote, Source Link cable, Digital Link cable, Power cable, and rack ear mounts.</p> <p>*NVI8GZPK-D2120 optional for power and control of zones 15 and 16.”</p>	€3.909,00
 VA-NV-I8GX-EXP	<p>“Grand Concerto Six-Source, Eight-Zone Expander (six amplified zones, 240V) VA-NV-I8GXS-EX without Control Pads.”</p>	€3.006,00
 VA-NV-I8GZPK-D2120	<p>“Grand Concerto Zone Pack Packaged Complete with 1 VA-NV-I8GCP and 1 VA-NV-D2120.</p> <p>*For use with Grand Concerto Zones 7, 8, 15, and 16.”</p>	€801,00

RENOVIA

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-RVM	<p>“Renovia Six-Source Powerline Hub with Dual SIRIUS-Ready/AM/FM Built in Tuner Packaged complete with NuVo’s Active AM/FM Antenna, 2 meter Antenna Cable, four 3 foot 3.5mm Mini to RCA Stereo Audio Cables, 4 IR Emitters, Power Cable and rack ear mounts.</p> <p>*AlaCarte Ordering (up to 8 zones per hub)”</p>	€762,80
 VA-NV-RVZAF50S	<p>“Renovia Zone Amplifier, Free Standing, 50 Watt System Packaged complete with 50 Watt Free Standing Zone Amplifier, 6 foot Power Cable, and on wall mounting bracket.</p> <p>*AlaCarte Ordering”</p>	€333,20
 VA-NV-RVIPD	<p>“Renovia NuVoDock for iPod Packaged complete with Renovia NuVoDock and 6 foot 9 Conductor Mini-DIN cable.”</p>	€237,80



2. Audio Distribution Systems

CONTROL



MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-A4DKP-DC	Simplese Decora-style, single gang backlit keypad with inserts and trim plates	€138,50
 VA-NV-E6GCP-DC	"1 inch OLED Control Pad (25.4mm) Decora-style, single gang OLED Control Pad with trim plates *For use with Essentia, Grand Concerto or Renovia Systems."	€253,00
 VA-NV-E6GCP-DC-4PK	1 inch OLED Control Pad (25.4mm), Decora Style - 4 Pack	€810,50
 VA-NV-I8GCP	"2.7 inch OLED Control Pad (68.58mm) with trim plates *For use with Essentia, Grand Concerto or Renovia Systems."	€352,30
 VA-NV-I8GCP-4PK	2.7 inch OLED Control Pad (68.58mm) - 4 Pack	€1.201,90
 VA-NV-CTP36-V2	"Color Touch Pad, 3.6 inch Display, Dual Gang *For use with Essentia, Grand Concerto and Renovia Systems."	€801,00
 VA-NV-LRC1	"Learning remote control with batteries *For use with Simplese."	€94,60
 VA-NV-GRC1	"Handheld remote control with batteries *For use with Essentia, Grand Concerto and Renovia Systems."	€52,60
 VA-NV-T2RC4	"Handheld remote control with batteries *For use with VA-NV-T2 Tuners."	€48,80

3. Audio Source Equipment

MUSIC PORT


MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-MPS4	<p>“NuVo Music Port Four output source device, Streaming internet radio*, 320 GB hard-drive, PC Synchronization tool, RS-232 passthrough Packaged complete with 10’ Network Cable, 10’ CAT5 Network Cable, 4 RCA Stereo Audio Cables, 6 foot 9 Conductor RS232 Cable, Power Cable and rack ear mounts.</p> <p>*For use with Essentia, Grand Concerto and Renovia Systems. *NuVo recommends use of MPS4 with libraries of less than 30,000 song files to insure optimum performance.”</p>	€2.505,80
 VA-NV-MPS4-E	<p>“NuVo Music Port Elite Four output source device, Streaming internet radio*, 640 GB hard-drive, NAS connectivity, Cloud Synchronization, PC and MAC Synchronization tool, On-screen display output, Available 3rd-party integration modules for Crestron, AMX, & URC. Packaged complete with 10 foot Network Cable, 10 foot CAT5 Network Cable, 4 RCA Stereo Audio Cables, 6 foot 9 Conductor RS232 Cable, Power Cable and rack ear mounts.</p> <p>*For use with Essentia, Grand Concerto and Renovia Systems. *NuVo recommends use of MPS4 with libraries of less than 30,000 song files to insure optimum performance.”</p>	€3.508,00

NUVODOCKS FOR IPOD

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-RIPS	<p>“Remote NuVoDock for iPod System Packaged complete with dock, receiver, Power Supply, 10 foot CAT5 cable, 6 foot Mini to RCA Stereo cable, and RJ-45 connection plate.</p> <p>*For use with Essentia, Grand Concerto and Renovia Systems.”</p>	€400,00
 VA-NV-WMIPS-DC	<p>“Wall Mount NuVoDock for iPod System Packaged complete with Decora-style wall mount NuVoDock, NuVoDock Receiver, 6 foot 3.5mm Mini to RCA Stereo Audio Cable, 3 foot CAT5 Network Cable, and Power Supply.</p> <p>*For use with Essentia, Grand Concerto and Renovia Systems.”</p>	€501,20






3. Audio Source Equipement

TUNERS

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-T2FAM-EU	“Dual AM/FM Tuner Packaged complete with NuVo’s active AM/FM antenna, 6’ coaxial cable, 2 Stereo RCA cables, Network cable, Power cable, VA-NV-T2RC4 Remote, and rack ear mounts. *For use with Essentia, Grand Concerto, and Renovia systems.”	€801,90





3. Audio Source Equipment

AUDIO AMPLIFIERS

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-D2120	"Digital Power Amplifier 2x120 Watt High Efficiency 2x120 Watt @ 4 or 8 OHMS (switch selectable), 3 foot 3.5mm Mini to RCA cable, 3 foot 3.5mm Mini cable Mono, Power Cable and rack ear mounts.	€453,50
 VA-NV-D460	"Digital Power Amplifier 4x60 Watt High Efficiency 4x60 Watt @ 4 or 8 OHMS (switch selectable), 3 foot 3.5mm Mini to RCA cable, 3 foot 3.5mm Mini cable Mono, Power Cable and rack ear mounts."	€453,50
 VA-NV-LSA40S	"Local Source Amplifier System Single zone 40 Watt Local Source Amplifier with Power Supply."	€161,40
 VA-NV-LSA40	"Local Source Amplifier 40 Watt Local Source Amplifier. *For use with VA-NV-LSA40PDS."	€109,90
 VA-NV-LSA40PDS	"Local Source Amplifier Power Distribution Hub 4 Zone Power Supply and Distribution Hub. *For use with VA-NV-LSA40."	€190,00




3. Audio Source Equipment

DECORA



MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
	VA-NV-WA40W-DC "In-Wall Amplifier Decora style wall amplifier with speaker, 40 Watt Packaged with a pair of VA-NV-WA40W-SPK"	€285,50
	VA-NV-WA40W-AMP-DC "In-Wall Amplifier Decora style wall amplifier, 40 Watt"	€186,20
	VA-NV-WA40W-RC "Handheld remote control with batteries. *For use with VA-NV-WA40W."	€56,40
	VA-NV-WA40W-SPK "4 inch On-Wall Speaker (pair) *For use with the VA-NV-WA40-AMP"	€123,20

4. Accessories







SIMPLESE

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-A4DAP-DC	Simplese D AllPort	€71,70
 VA-NV-LSI5	"Passive Local Source Interrupt *For use with Simplese."	€104,10
 VA-NV-AWT1	Allport® and CAT5 Tester	€209,10

ESSENTIA






 VA-NV-E6GMAP-DC	"E6G AllPort Main * For use with the Essentia Main unit."	€100,30
 VA-NV-E6GXAP-DC	"E6G AllPort Expander *For use with the Essentia Expander unit."	€100,30

CONCERTO









 VA-NV-I8GEZP	"Grand Concerto EZPort *For use with Grand Concerto System."	€81,20
 VA-NV-WPM-2GB	Wall Plate, Metal, Dual Gang, Gloss Black	€27,80
 VA-NV-WPM-2GW	Wall Plate, Metal, Dual Gang, Gloss White	€27,80
 VA-NV-WPM-2SC	Wall Plate, Metal, Dual Gang, Satin Chrome	€27,80
 VA-NV-WPM-2SN	Wall Plate, Metal, Dual Gang, Satin Nickel	€27,80
 VA-NV-WPM-2PC	Wall Plate, Metal, Dual Gang, Polished Chrome	€27,80

4. Accessories

SPEAKER BRACKETS

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-BK6C	6.5 inch In-Ceiling rough-in brackets (pair)	€18,20
 VA-NV-BK6I	6.5 inch In-Wall rough-in brackets (pair)	€18,20
 VA-NV-BK8C	8 inch In-Ceiling rough-in brackets (pair)	€18,20
 VA-NV-BK8I	8 inch In-Wall rough-in brackets (pair)	€18,20
 VA-NV-BK6CS	6.5 inch In-Ceiling stereo speaker rough-in bracket (single)	€18,20

MISCELLANEOUS

 VA-NV-I8DLS	"IR Learning Station, Configurator Software, 1 Visible IR emitter, 2 RS-232 cables, Universal power supply (110V to 240V), and 4 International Adapters." *For use with Essentia, Grand Concerto and Renovia Systems."	€571,90
 VA-NV-REM	Rack ear mounts for dual rack space components	€52,60
 VA-NV-REM1U	Rack ear mounts for single rack space components	€52,60
 VA-NV-RM3U	"NuVo Rack Mount, 3U 1 Dual Gang opening, 3 Single Gang openings"	€40,10
 VA-NV-MI1	"Telephone/Door Bell mute interface *For use with all NuVo Systems."	€109,90
 VA-NV-LSI24	"Passive Local Source Interrupt *For use with Essentia and Grand Concerto Systems."	€109,90
 VA-NV-NC	1 foot Network Cable	€18,20
 VA-NV-NC1	10 foot Network Cable	€18,20




5. Speakers

SPECIALTY BRACKETS



MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
 VA-NV-SP7IS	7 inch Single Point In Wall Stereo Speaker	€352,30

ACCENTPLUS2



IN-CEILING

 VA-NV-AP26C	6.5 inch In-Ceiling AccentPLUS2 Speaker (pair)	€419,10
 VA-NV-AP28C	8 inch In-Ceiling AccentPLUS2 Speaker (pair)	€520,30
 VA-NV-AP26CS	6.5 inch In-Ceiling AccentPLUS2 Dual Tweeter Stereo Speaker (single)	€262,60

IN-WALL




 VA-NV-AP26I	6.5 inch In-Wall AccentPLUS2 Speaker (pair)	€419,10
 VA-NV-AP28I	8 inch In-Wall AccentPLUS2 Speaker (pair)	€520,30

OUTDOOR ON-WALL


 VA-NV-AP26OB	6.5 inch Outdoor Loudspeaker Black (pair)	€419,10
 VA-NV-AP26OW	6.5 inch Outdoor Loudspeaker White (pair)	€419,10

ACCENTPLUS1

IN-CEILING

 VA-NV-AP16C	6.5 inch In-Ceiling AccentPLUS1 Speaker (pair)	€218,70
 VA-NV-AP18C	8 inch In-Ceiling AccentPLUS1 Speaker (pair)	€262,60
 VA-NV-AP16CS	6.5 inch In-Ceiling AccentPLUS1 Dual Tweeter Stereo Speaker (single)	€151,90

IN-WALL

 VA-NV-AP16I	6.5 inch In-Wall AccentPLUS1 Speaker (pair)	€237,80
 VA-NV-AP18I	8 inch In-Wall AccentPLUS1 Speaker (pair)	€319,90

5. Speakers

SPECIALTY BRACKETS

MODEL	DESCRIPTION	SUGGESTED RETAIL PRICE EUR
-------	-------------	-------------------------------

OUTDOOR ON-WALL



VA-NV-AP16OB

6.5 inch Outdoor Loudspeaker Black (pair)

€371,40



VA-NV-AP16OW

6.5 inch Outdoor Loudspeaker White (pair)

€371,40

OUTDOOR ROCK



VA-NV-AP16RG

6.5 inch Outdoor Rock Speaker Granite (pair)

€371,40



VA-NV-AP16RS

6.5 inch Outdoor Rock Speaker Sandstone (pair)

€371,40



VA-NV-AP18RG

8 inch Outdoor Rock Speaker Granite (pair)

€520,30



VA-NV-AP18RS

8 inch Outdoor Rock Speaker Sandstone (pair)

€520,30

AccentPlus1



SYSTEM

	VA-NV-AP16C	VA-NV-AP16CS	VA-NV-AP18C	VA-NV-AP16I	VA-NV-AP18I
Description:	6.5" Ceiling Speaker with Co-axial Pivoting Tweeter	6.5" Stereo Ceiling Speaker with Dual Fixed Tweeter	8.0" Ceiling Speaker with Co-axial Pivoting Tweeter	6.5" In-Wall Speaker with Pivoting Tweeter	8.0" In-Wall Speaker with Pivoting Tweeter
Power Rating:	50W	50W	60W	50W	60W
Impedance:	8 ohm	8 ohm x 2	8 ohm	8 ohm	8 ohm
Efficiency:	91dB 1W/1M	91dB 1W/1M	92dB 1W/1M	91dB 1W/1M	92dB 1W/1M
Frequency Response:	50Hz-20kHz	50Hz-20kHz	50Hz-20kHz	50Hz-20kHz	50Hz-20kHz
Tweeter Crossover:	12dB / Octave; 4kHz	12dB / Octave; 4kHz	12dB / Octave; 4kHz	12dB / Octave; 4kHz	12dB / Octave; 4kHz
Woofers Crossover:	None	None	None	12dB / Octave; 4kHz	12dB / Octave; 4kHz
Dimensions (HxWxD):	9" Diameter x 3.75" (228mm Diameter x 96mm)	9" Diameter x 3.75" (228mm Diameter x 96mm)	10.75" Diameter x 4.375" (272mm Diameter x 112mm)	12" x 8.75" x 3.75" (306mm x 220mm x 95mm)	14.125" x 10" x 4" (358mm x 256mm x 101mm)
Cutout Dimensions:	8" (204mm)	8" (204mm)	9.75" (248mm)	11.125" x 7.75" (284mm x 198mm)	13.25" x 9.125" (336mm x 232mm)
Depth:	3" (75mm)	3" (75mm)	3.375" (86mm)	3" (75mm)	3.375" (86mm)

WOOFER

Magnet:	10 oz (80mm x 30mm x 15mm)	10 oz (80mm x 3mm x 15mm)	20 oz (100 mm x 45mm x 15mm)	10 oz (80mm x 30mm x 15mm)	20 oz (100mm x 45mm x 15mm)
Voice Coil:	1.0" (25mm) Polyimide Film	1.0" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film	1.0" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film
Cone:	Etched Polypropylene	Etched Polypropylene	Etched Polypropylene	Etched Polypropylene	Etched Polypropylene
Surround:	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber
Dust Cover:	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene

TWEETER

Magnet:	Neodymium	Neodymium	Neodymium	Neodymium	Neodymium
Dome:	20mm Silk	2 x 13mm Mylar	25mm Silk	20mm Silk	25mm Silk
Type:	Pivoting 30 degrees	Fixed Position	Pivoting 30 degrees	Pivoting 30 degrees	Pivoting 30 degrees

AccentPlus2



SYSTEM

	VA-NV-AP26C	VA-NV-AP26CS	VA-NV-AP28C	VA-NV-AP26I	VA-NV-AP28I
Description:	6.5" Ceiling Speaker with Co-axial Pivoting	6.5" Stereo Ceiling Speaker with Tweeter with Dual Fixed	8.0" Ceiling Speaker with Tweeter Co-axial Pivoting	6.5" In-Wall Speaker with Tweeter Pivoting Tweeter	8.0" In-Wall Speaker with Pivoting Tweeter
Power Rating:	100W	100W	120W	100W	120W
Impedance:	8 ohm	8 ohm x 2	8 ohm	8 ohm	8 ohm
Efficiency:	91dB 1W/1M	91dB 1W/1M	92dB 1W/1M	91dB 1W/1M	92dB 1W/1M
Frequency Response:	50Hz-20kHz	50Hz-20kHz	40Hz-20kHz	50Hz-20kHz	40Hz-20kHz
Tweeter Crossover:	12dB / Octave; 4kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz
Woofers Crossover:	12dB / Octave; 4kHz	None	12dB / Octave; 3kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz
Dimensions (HxWxD):	9" Diameter x 3.75" (228mm Diameter x 96mm)	9" Diameter x 3.75" (228mm Diameter x 96mm)	10.75" Diameter x 4.375" (272mm Diameter x 112mm)	12" x 8.75" x 3.75" (306mm x 220mm x 95mm)	14.125" x 10" x 4" (358mm x 256mm x 101mm)
Cutout Dimensions:	8" (204mm)	8" (204mm)	9.75" (248mm)	11.125" x 7.75" (284mm x 198mm)	13.25" x 9.125" (336mm x 232mm)
Depth:	3" (75mm)	3" (75mm)	3.375" (86mm)	3" (75mm)	3.375" (86mm)

WOOFER

Magnet:	10 oz (80 x 30 x 15mm)	10 oz (80 x 30 x 15mm)	20 oz (100 x 45 x 15mm)	10 oz (80 x 30 x 15mm)	20 oz (100 x 45 x 15mm)
Voice Coil:	1.0" (25mm) Polyimide Film	1.0" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film	1.5" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film
Cone:	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®
Surround:	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber
Dust Cover:	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene

TWEETER

Magnet:	Neodymium	Neodymium	Neodymium	Neodymium	Neodymium
Dome:	20mm Titanium	2 x 13mm Mylar	25mm Titanium	20mm Titanium	25mm Titanium
Type:	Pivoting 30 degrees	Fixed Position	Pivoting 30 degrees	Pivoting 30 degrees	Pivoting 30 degrees

5. Speakers

AccentPlus 1 Outdoor



SYSTEM

VA-NV-AP16OW (WHITE)
VA-NV-AP16OB (BLACK)

Description:	6.5" Outdoor Loudspeaker
Power Rating:	50W
Impedance:	8 ohm
Efficiency:	88dB 1W/1M
Frequency Response:	60Hz-20kHz +/-3dB
Tweeter Crossover:	12dB
Woofers Crossover:	N/A
Cabinet Material:	Mineral Filled Polyethylene
Grill Material:	Powder Coated Aluminum
Bracket Material:	Powder Coated Steel
Dimension: (HxWxD)	13" x 7.625" x 7.5" (330mm x 193mm x 190mm)
Depth w/Bracket:	8" (205mm)
Weight (Unit):	7.50 lbs (3.40kg)

WOOFER

Magnet Structure:	Ferrite, 13oz (370g) Flat Back Plate
Voice Coil:	1" (25mm) Polyimide Film
Cone:	6.5" (165mm) Polypropylene
Surround:	Butyl Rubber
Dust Cover:	Polypropylene

TWEETER

Magnet:	Neodymium
Dome:	PEI (Polyetherimide), .75" (19mm)
Type:	Fixed Position

AccentPlus 2 Outdoor



SYSTEM

VA-NV-AP26OW (WHITE)
VA-NV-AP26OB (BLACK)

Description:	6.5" Outdoor Loudspeaker
Power Rating:	50W
Impedance:	8 ohm
Efficiency:	89dB 1W/1M
Frequency Response:	55Hz-20kHz +/-3dB
Tweeter Crossover:	12dB
Woofers Crossover:	N/A
Cabinet Material:	Mineral Filled Polyethylene
Grill Material:	Powder Coated Aluminum
Bracket Material:	Powder Coated Steel
Dimension: (HxWxD)	13" x 7.625" x 7.5" (330mm x 193mm x 190mm)
Depth w/Bracket:	8" (205mm)
Weight (Unit):	7.50 lbs (3.40kg)

WOOFER

Magnet Structure:	Ferrite, 13oz (370g) Extended Back Plate
Voice Coil:	1" (25mm) Polyimide Film
Cone:	6.5" (165mm) DuPont™ Kevlar®
Surround:	Butyl Rubber
Dust Cover:	Polypropylene

TWEETER

Magnet:	Neodymium
Dome:	PEI (Polyetherimide), .75" (19mm)
Type:	Fixed Position

AccentPlus Rock



SYSTEM	VA-NV-API8RS (SANDSTONE) VA-NV-API8RG (GRANITE)	VA-NV-API6RS VA-NV-API6RG
Description:	8" Rock Loudspeaker	6.5" Rock Loudspeaker
	Mono	Mono
Power Rating:	100W	50W
Impedance:	8 ohm	8 ohm
Efficiency:	91dB 1W/1M	88dB 1W/1M
Frequency Response:	45Hz-20kHz +/-3dB	60Hz-20kHz +/-3dB
Tweeter Crossover:	12dB	12dB Woofer
Crossover:	12dB	12dB
Dimensions (HxWxD):	13.5" x 13.5" x 1.2" (340mm x 340mm x 300mm)	10.5" x 11" x 9" (165mm x 280mm x 226mm)
Weight:	16lbs (7.3kg)	9.7lbs (4.4kg)

WOOFER

Magnet:	20 oz (100 x 45 x 15mm)	10 oz (80 x 30 x 15mm)
Voice Coil:	1.0" (25mm) Polyimide Film	.75" (19mm) Polyimide Film
Cone:	8" (205mm) Polypropylene	6.5" (165mm) Polypropylene Surround: Butyl Rubber Butyl Rubber
Dust Cover:	Polypropylene	Polypropylene

TWEETER

Magnet:	Neodymium	Neodymium
Dome:	PEI (Polyetherimide) 1" (25mm)	PEI (Polyetherimide) 1" (25mm)
Type:	Fixed Position	Fixed Position

Distributed by |  V A N T A G E™

